

ELATION PARAGON LT - DMX TRAITS

Features subject to change without notice

MODE/CHANNEL					FUNCTION	SNAP	DEFAULT VALUE
Standard	Extended	RGB Standard	RGB Extended	VALUES			
1	1	1	1	0-255	Pan Left → Right		127
2	2	2	2	0-255	Pan Fine Fine position		127
3	3	3	3	0-255	Tilt Forward → Backward		127
4	4	4	4	0-255	Tilt Fine Fine position		127
5	5	5	5	0-255	Cyan 0 → 100		0
	6		6	0-255	Cyan Fine Fine saturation		0
6	7	6	7	0-255	Magenta 0 → 100		0
	8		8	0-255	Magenta Fine Fine saturation		0
7	9	7	9	0-255	Yellow 0 → 100		0
	10		10	0-255	Yellow Fine Fine saturation		0
8	11	8	11	0-255	CTO Cold → Warm		0
	12		12	0-255	CTO Fine Fine saturation		0
		9	13	0-255	Red 0 → 100		0
			14	0-255	Red Fine Fine saturation		0
		10	15	0-255	Green 0 → 100		0
			16	0-255	Green Fine Fine saturation		0
		11	17	0-255	Blue 0 → 100		0
			18	0-255	Blue Fine Fine saturation		0
9	13	12	19		CRI		127
				0-126	CRI 73 - 80		
				127	CRI 80 (Highest Output)		
				128-255	CRI 80 - 93		

ELATION PARAGON LT - DMX TRAITS

Features subject to change without notice

MODE/CHANNEL					FUNCTION	SNAP	DEFAULT VALUE
Standard	Extended	RGB Standard	RGB Extended	VALUES			
10	14	13	20		Color	X	0
				0-27	Open		
				28-47	Red		
				48-67	Blue		
				68-87	Green		
				88-107	Quad Color		
				108-127	CTB / Color Smoothing		
					Scroll		
				128-189	Clockwise, fast → slow		
				190-193	Stop		
				194-255	Counter-clockwise, slow → fast		
	15		21		Color Fine	X	0
				0-255	Position		
11	16	14	22		Rotating Gobo 1	X	0
				0-9	Open		
				10-19	Gobo 1		
				20-29	Gobo 2		
				30-39	Gobo 3		
				40-49	Gobo 4		
				50-59	Gobo 5		
				60-69	Gobo 6		
				70-77	Gobo 7		
				78-93	Gobo 1 shake, slow to fast		
				94-109	Gobo 2 shake, slow to fast		
				110-125	Gobo 3 shake, slow to fast		
				126-141	Gobo 4 shake, slow to fast		
				142-157	Gobo 5 shake, slow to fast		
				158-173	Gobo 6 shake, slow to fast		
				174-189	Gobo 7 shake, slow to fast		
					Scroll		
				190-221	Clockwise scroll, fast → slow		
				222-223	Stop		
				224-255	Counter-clockwise scroll, slow → fast		
12	17	15	23		Rotating Gobo 1 Index/Rotation		0
				0-127	Index Position		
					Rotate		
				129-189	Clockwise, fast → slow		
				190-193	Stop		
				194-255	Counter-clockwise, slow → fast		
13	18	16	24		Rotating Gobo 1 Index/Rotation Fine		0
				0-255	Index position		

ELATION PARAGON LT - DMX TRAITS

Features subject to change without notice

MODE/CHANNEL					FUNCTION	SNAP	DEFAULT VALUE
Standard	Extended	RGB Standard	RGB Extended	VALUES			
14	19	17	25		Rotating Gobo 2	X	0
				0-9	Open		
				10-19	Gobo 1		
				20-29	Gobo 2		
				30-39	Gobo 3		
				40-49	Gobo 4		
				50-59	Gobo 5		
				60-69	Gobo 6		
				70-77	Gobo 7		
				78-93	Gobo 1 shake, slow to fast		
				94-109	Gobo 2 shake, slow to fast		
				110-125	Gobo 3 shake, slow to fast		
				126-141	Gobo 4 shake, slow to fast		
				142-157	Gobo 5 shake, slow to fast		
				158-173	Gobo 6 shake, slow to fast		
				174-189	Gobo 7 shake, slow to fast		
					Scroll		
				190-221	Clockwise scroll, fast → slow		
				222-223	Stop		
				224-255	Counter-clockwise scroll, slow → fast		
15	20	18	26		Rotating Gobo 2 Index/Rotation		0
				0-127	Index Position		
					Rotate		
				129-189	Clockwise, fast → slow		
				190-193	Stop		
16	21	19	27		Rotating Gobo 2 Index/Rotation Fine		0
				0-255	Index position		
17	22	20	28		Fixed Gobo	X	0
				0-14	Open		
				15-39	Gobo 1		
				40-64	Gobo 2		
				65-89	Gobo 3		
				90-114	Gobo 4		
				115-139	Gobo 5		
				140-149	Gobo 1 Shake, slow to fast		
				150-159	Gobo 2 Shake, slow to fast		
				160-169	Gobo 3 Shake, slow to fast		
				170-179	Gobo 4 Shake, slow to fast		
				180-189	Gobo 5 Shake, slow to fast		
					Scroll		
				190-221	Clockwise, fast → slow		
	23		29		Fixed Gobo Fine	X	0
				0-255	Position		
18	24	21	30		Rotating Prism 1	X	0
				0-63	Open		
				64-255	4-facet		

ELATION PARAGON LT - DMX TRAITS

Features subject to change without notice

MODE/CHANNEL					FUNCTION	SNAP	DEFAULT VALUE
Standard	Extended	RGB Standard	RGB Extended	VALUES			
19	25	22	31		Rotating Prism 1 Index/Rotation		0
				0-127	Index position		
					Rotate		
				128-189	Clockwise, fast → slow		
				190-193	Stop		
				194-255	Counter-clockwise, slow → fast		
	26		32		Rotating Prism 1 Index/Rotation Fine		0
				0-255	Index position		
20	27	23	33		Rotating Prism 2	X	0
				0-63	Open		
				64-255	4-facet linear		
21	28	24	34		Rotating Prism 2 Index/Rotation		0
				0-127	Index position		
					Rotate		
				128-189	Clockwise, fast → slow		
				190-193	Stop		
				194-255	Counter-clockwise, slow → fast		
	29		35		Rotating Prism 2 Index/Rotation Fine		0
				0-255	Index position		
22	30	25	36		Focus		127
				0-255	Infinity → Near		
23	31	26	37		Focus Fine		127
				0-255	Fine adjustment		
24	32	27	38		Zoom		127
				0-255	Narrow → Wide		
25	33	28	39		Zoom Fine		127
				0-255	Fine adjustment		

ELATION PARAGON LT - DMX TRAITS

Features subject to change without notice

MODE/CHANNEL					FUNCTION	SNAP	DEFAULT VALUE
Standard	Extended	RGB Standard	RGB Extended	VALUES			
	34		40		Auto Focus	X	0
				0-4	Auto Focus Off		
				5-9	5.0m		
				10-14	5.2m		
				15-19	5.4m		
				20-24	5.6m		
				25-29	5.8m		
				30-34	6.0m		
				35-39	6.3m		
				40-44	6.5m		
				45-49	6.8m		
				50-54	7.0m		
				55-59	7.3m		
				60-64	7.5m		
				65-69	7.7m		
				70-74	8.0m		
				75-79	8.3m		
				80-84	8.5m		
				85-89	8.7m		
				90-94	9.0m		
				95-99	9.3m		
				100-104	9.5m		
				105-109	9.8m		
				110-114	10.0m		
				115-119	10.5m		
				120-124	11.0m		
				125-129	11.5m		
				130-134	12.0m		
				135-139	12.5m		
				140-144	13.0m		
				145-149	13.5m		
				150-154	14.0m		
				155-159	14.5m		
				160-164	15.0m		
				165-169	15.5m		
				170-174	16.0m		
				175-179	16.5m		
				180-184	17.0m		
				185-189	17.5m		
				190-194	18.0m		
				195-199	18.5m		
				200-204	19.0m		
				205-209	19.5m		
				210-214	20.0m		
				215-255	Idle		
	35		41		Auto Focus Fine	X	0
				0-255	Fine adjustment		

ELATION PARAGON LT - DMX TRAITS

Features subject to change without notice

MODE/CHANNEL					FUNCTION	SNAP	DEFAULT VALUE
Standard	Extended	RGB Standard	RGB Extended	VALUES			
26	36	29	42		Shutter / Strobe	X	50
				0-31	Closed		
				32-63	Open		
				64-95	Strobe, slow → fast		
				96-127	Open		
				128-159	Pulse effect		
				160-191	Open		
				192-223	Random Strobe, slow → fast		
				224-255	Open		
27	37	30	43		Dimmer		0
				0-255	Intensity 0 → 100%		
28	38	31	44		Dimmer Fine		0
				0-255	Fine adjustment		
29	39	32	45		Dim Modes	X	0
				0-20	Standard		
				21-40	Stage		
				41-60	TV		
				61-80	Architectural		
				81-100	Theatre		
				101-120	Stage 2		
					Dimmer Delay Time		
				121	0s		
				122	0.1s		
				123	0.2s		
				124	0.3s		
				125	0.4s		
				126	0.5s		
				127	0.6s		
				128	0.7s		
				129	0.8s		
				130	0.9s		
				131	1.0s		
				132	1.5s		
				133	2.0s		
				134	3.0s		
				135	4.0s		
				136	5.0s		
				137	6.0s		
				138	7.0s		
				139	8.0s		
				140	9.0s		
				141	10.0s		
				142-255	Idle		
30	40	33	46		Iris		0
				0-191	Open → Close		
				192-223	Pulse Closing, fast → slow		
				224-255	Pulse Opening, slow → fast		
	41		47		Iris Fine		0
				0-255	Fine adjustment		

ELATION PARAGON LT - DMX TRAITS

Features subject to change without notice

MODE/CHANNEL					FUNCTION	SNAP	DEFAULT VALUE
Standard	Extended	RGB Standard	RGB Extended	VALUES			
31	42	34	48		Frost 1 (Soft)		0
				0-255	Open → Max		
32	43	35	49		Frost 2 (Wash)		0
				0-255	Open → Max		
33	44	36	50		Animation Wheel		0
				0-7	Open		
				8-127	Minimum to Vertical		
				128	Vertical		
				129-254	Vertical to Horizontal		
				255	Horizontal		
34	45	37	51		Animation Index		64
				0-127	Position		
					Scroll		
				128-189	Clockwise, fast → slow		
				190-193	Stop		
				194-255	Counter-clockwise, slow → fast		
35	46	38	52	0-255	Blade 1A		0
					Open → Closed		
	47		53	0-255	Blade 1A Fine		0
					Fine adjustment		
36	48	39	54	0-255	Blade 1B		0
					Open → Closed		
	49		55	0-255	Blade 1B Fine		0
					Fine adjustment		
37	50	40	56	0-255	Blade 2A		0
					Open → Closed		
	51		57	0-255	Blade 2A Fine		0
					Fine adjustment		
38	52	41	58	0-255	Blade 2B		0
					Open → Closed		
	53		59	0-255	Blade 2B Fine		0
					Fine adjustment		
39	54	42	60	0-255	Blade 3A		0
					Open → Closed		
	55		61	0-255	Blade 3A Fine		0
					Fine adjustment		
40	56	43	62	0-255	Blade 3B		0
					Open → Closed		
	57		63	0-255	Blade 3B Fine		0
					Fine adjustment		
41	58	44	64	0-255	Blade 4A		0
					Open → Closed		
	59		65	0-255	Blade 4A Fine		0
					Fine adjustment		
42	60	45	66	0-255	Blade 4B		0
					Open → Closed		
	61		67	0-255	Blade 4B Fine		0
					Fine adjustment		

ELATION PARAGON LT - DMX TRAITS

Features subject to change without notice

MODE/CHANNEL					FUNCTION	SNAP	DEFAULT VALUE
Standard	Extended	RGB Standard	RGB Extended	VALUES			
43	62	46	68		Framing Rotation		127
				0-126	Min (-120°)		
				127-128	Parallel (0°)		
				129-255	Max (+120°)		
	63		69		Framing Rotation Fine		0
				0-255	Fine adjustment		
	64		70		Framing Macro Speed		0
				0-255	Max → Min Speed		
	65		71		Framing Macro	X	0
				0-7	Off		
				8-15	Macro 1		
				16-23	Macro 2		
				24-31	Macro 3		
				32-39	Macro 4		
				40-47	Macro 5		
				48-55	Macro 6		
				56-63	Macro 7		
				64-71	Macro 8		
				72-79	Macro 9		
				80-87	Macro 10		
				88-95	Macro 11		
				96-103	Macro 12		
				104-111	Macro 13		
				112-119	Macro 14		
				120-127	Macro 15		
				128-135	Macro 16		
				136-143	Macro 17		
				144-151	Macro 18		
				152-159	Macro 19		
				160-167	Macro 20		
				168-175	Macro 21		
				176-183	Macro 22		
				184-191	Macro 23		
				192-199	Macro 24		
				200-207	Macro 25		
				208-215	Macro 26		
				216-223	Macro 27		
				224-231	Macro 28		
				232-239	Macro 29		
				240-247	Macro 30		
				248-255	Macro 31		
	66		72		Pan/Tilt Speed	X	0
				0-225	Max → Min Speed		
				226-235	Blackout by movement		
				236-245	Blackout by wheel changes		
				246-255	No Function		

ELATION PARAGON LT - DMX TRAITS

Features subject to change without notice

MODE/CHANNEL					FUNCTION	SNAP	DEFAULT VALUE
Standard	Extended	RGB Standard	RGB Extended	VALUES			
44	67	47	73		Control	X	0
				0-19	Wheel Snap		
				20-29	Color Wheel Fade		
				30-39	Color/Gobo Wheel Fade		
					Fan Mode		
				40-44	Mute		
				45-49	Studio		
				50-54	Low		
				55-59	High		
				60-64	Turbo		
				65-69	Auto (default)		
					Preheat		
				71-71	Preheat Mode Off		
				72-73	Preheat Mode 1 (default)		
				74-75	Preheat Mode 2		
				76-79	Idle		
					Reset		
				80-84	Fixture		
				85-87	Pan Tilt		
				88-90	Color		
				91-93	Gobo		
				94-96	Focus Zoom		
				97-99	Other Features		
					Refresh Rate (Hz)		
				100-168	Refresh Rate (900Hz - 25KHz), see Refresh Rates Table		
				169-170	Ultra Dimming 25KHz (default)		
					CMY Speed		
				171	CMY Smooth		
				172	CMY Fast (default)		
				173-174	Hibernation Off		
				175-176	Hibernation		
				177-178	Sun Protection On (default)		
				179-180	Sun Protection Off		
				181-190	Pan Tilt Smooth		
				191-200	Pan Tilt Fast (default)		
					Dimmer Curve		
				201-210	Linear		
				211-220	Square		
				221-230	Inverse Square		
				231-240	S-Curve (default)		
				241-242	Color Smoothing Disabled		
				243-244	Color Smoothing Enabled (default)		
					Theater Mode (automatically activated when Mute or Studio fan modes are selected)		
				245-246	Fastest Speeds (default)		
				247-249	Quiet Speeds		
				250-251	Display Off		
				252-253	Display On (default)		
				254-255	Idle		